



Southwire™

4-11/16" SQUARE EXPOSED WORK RAISED 1/2" COVERS

FEATURES

- Device mounting hardware included

APPLICATIONS

- 4-11/16" square, 1/2 in raised exposed work covers are used to close a 4-11/16" square junction box or to attach a device(s) in a surface mount industrial setting

STANDARD MATERIAL

- Galvanized steel

CERTIFICATIONS

- UL, cULus Listed



72C29



Rev. 1, 3/24

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2024 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire™

4-1 1/16" SQUARE EXPOSED WORK RAISED 1/2" COVERS



72C38



72C39



72C35



72C36



72C47



72C49



72C48



72C41



72C51



72C32



72C42



72C44



72C45



72C50



72C37



72C40

Rev. 1, 3/24

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2024 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.



Southwire™

4-11/16" SQUARE EXPOSED WORK RAISED 1/2" COVERS

PART #	DEVICE OPENING(S)	CUBIC INCHES (CM ³)	MASTER QTY.
72C29	BLANK	10.3 (168.7)	25
72C38	(1) DUPLEX	10.3 (168.7)	25
72C39	(2) DUPLEX	10.3 (168.7)	25
72C35	(1) TOGGLE	10.3 (168.7)	25
72C36	(2) TOGGLES	10.3 (168.7)	25
72C47	(1) DECORATOR/GFCI	10.3 (168.7)	25
72C49	(2) DECORATOR/GFCI	10.3 (168.7)	25
72C48	(1) TOGGLE & (1) DECORATOR/GFCI	10.3 (168.7)	25
72C41	(1) TOGGLE & (1) DUPLEX	10.3 (168.7)	25
72C51	(1) DUPLEX & (1) DECORATOR/GFCI	10.3 (168.7)	25
72C32	(1) 1.406" DIAMETER	10.3 (168.7)	25
72C42	(1) 1.594" DIAMETER	10.3 (168.7)	25
72C44	(1) 30-50A 2.141" DIAMETER	10.3 (168.7)	25
72C45	(1) HUBBELL CS-6369, 50A TWIST LOCK	10.3 (168.7)	25
72C50	(1) 50A 2.141" DIAMETER	10.3 (168.7)	25
72C37	(2) 1.406" DIAMETER	10.3 (168.7)	25
72C40	(2) 1.620" DIAMETER	10.3 (168.7)	25
72C52	1.719 DIAMETER	10.3(168.7)	25

Rev. 1, 3/24

**BUILT FOR DURABILITY.
BUILT FOR RELIABILITY.
BUILT FOR WORK.™**

1-855-798-6657 | SOUTHWIRE.COM

©2024 Southwire Company, LLC. All rights reserved.
*Registered Trademark & ™Trademark of Southwire Company, LLC.